



अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No. : 730-50-310(E)/ET/2001
09th June, 2005

To

The Secretary Technical Education
Govt. of Andhra Pradesh,
A.P. Govt. Secretariat,
Hyderabad - 500 028

Sub: Extension of approval to MOTHER THERESA INSTITUTE OF SCIENCE & TECHNOLOGY, KOTHUR, SATHUPALLY KHAMMAM DISTT., - 507 303 for the year 2005-06-reg.

Sir,

As you are aware, All India Council for Technical Education has been mandated under the AICTE Act, 1987 to ensure **maintenance of norms and standards** with regard to technical education in the country. In exercise of this mandate, the Council insists on fulfillment of the minimum requirements prescribed for imparting technical education by the institution so that **quality** is not compromised and stakeholders are satisfied. The Council also undertakes an **annual inspection** of the institutions and conveys deficiencies to them for **rectification**.

It has been observed however that notwithstanding the Council's **repeated advice** to comply with minimum norms and standards, many institutions continue to be **complacent** about taking steps to remedy the deficiencies. Such institutions suffer from **critical deficiencies** of faculty and other requirements. Feedback of students with regard to quality of education imparted by such institutions has evoked grave concern. The Expert Committees, following **holistic appraisal** during inspections, have also pointed out severe shortcomings in key areas.

Your institution has several deficiencies, which are listed in **Annexure-A** for your perusal. These deficiencies have rendered the institution liable for strict punitive action. However, the Council has decided to take a lenient view and put only the course(s) which suffer from the most critical deficiency i.e. **shortage of faculty** in the reduced intake category. The approved course(s) along with recommended intake for the year 2005-06 in respect of **MOTHER THERESA INSTITUTE OF SCIENCE & TECHNOLOGY, KOTHUR, SATHUPALLY KHAMMAM DISTT., - 507 303** is as under:-

COURSE (S)	APPROVED INTAKE 2004-05	APPROVED INTAKE 2005-06
CIVIL ENGINEERING	60	60
COMPUTER SC & ENGG	60	60
ELECTRICAL & ELECTRONICS ENGG	60	60
ELECTRONICS & COMM ENGG	60	60
INFORMATION TECHNOLOGY	60	45
MECHANICAL ENGG.	60	60
TOTAL	360.	345.

File No:-39
Jug.

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली - 110002
Indira Gandhi Sports Complex, I. P. Estate, New Delhi -110 002
दूरभाष / Phone : 23392506, 63-65-68, 71, 73-75 फैक्स / Fax : 011-23392554
वेबसाइट / Website : www.aicte.ernet.in

PRINCIPAL
MOTHER THERESA INSTITUTE OF
SCIENCE & TECHNOLOGY
Sanketika Nagar, Kothuru, Sathupally Mdi
Khammam Dist. T.S. Dist - 507 303.

Annexure- 'A'

Name & Address of the Institution	Programme
File No. : 730-50-310(E)/ET/2001 MOTHER THERESA INSTITUTE OF SCIENCE & TECHNOLOGY KOTHUR, SATHUPALLY KHAMMAM DISTT., - 507 303	Degree Engineering & Technology

> Faculty :

- ❖ Faculty is the soul of an institution and in the absence thereof as Institute cannot impart quality education. However, the faculty position in your institution (irrespective of the cadre ratio) is as follows :
 - ✓ There is a shortfall of 3 faculty members (25%) in the department of Computer Sc. & Engg. as only 9 are available against a requirement of 12.
 - ✓ There is a shortfall of 5 faculty members (41%) in the department of Electrical & Electronics Engg. as only 7 are available against a requirement of 12. Faculty members from other allied departments have been adjusted against shortfall.
 - ✓ There is a shortfall of 1 faculty members (8%) in the department of Electronics & Comm. Engg. as only 11 are available against a requirement of 12.
 - ✓ There is a shortfall of 5 faculty members (41%) in the department of Information Technology as only 7 are available against a requirement of 12.
- ❖ The Director is not eligible as per AICTE norms.
- ❖ Most of the faculty are being paid consolidated salaries.

> Built up area :


- ❖ There is a shortfall of 2,433 sq. mt. in the built up area as only 9,501 sq. mt. against a requirement of 11,934 sq. mt.

> Computer Facility :

- ❖ There is a shortfall of 101 computers as only 154 are available against a requirement of 255 computers.

> Library Facility :

- ❖ There is a shortfall of 310 titles as only 1,190 are available against a requirement of 1500 titles.
- ❖ There is a shortfall of 32 journals as only 40 are available against a requirement of 72 journals.


PRINCIPAL
MOTHER TERESA INSTITUTE OF
SCIENCE & TECHNOLOGY
 Sanketika Nagar, Kothuru, Sathupally P.O.
 Khammam Dist. T.S. PIN - 507 303.

3. The Commissioner of Tech. Education Govt. of Andhra Pradesh, 5th Floor, BRKR Govt. Complex, Hyderabad - 500 063.
4. The Registrar, JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY.
(He is requested to complete the process of affiliation for facilitating admissions.)
5. Guard File (UG / PG).

Note: a) The Institute was found to be having deficiencies in respect of eligible faculty and the cadre ratio as per AICTE norms in other existing programmes also. However, in view of the Policy of the Council to relax 25% faculty requirement for the academic year 2005-06, the existing intake was not reduced. You are required to fulfill the faculty requirement as per norms by 31st August 2005 and submit the compliance for the same (where ever applicable).

b) The calculation of required faculty strength for every course is based on 1:15 ratio of the total sanctioned intake for Pharmacy, MBA, MCA, HMCT and B.F.A. However, for the Engg. Courses, intake of first year have been exempted where the faculty for basic sciences and humanities is expected to teach (Calculation is based on total sanctioned intake from IInd year to IVth year).



PRINCIPAL
MOTHER TERESA INSTITUTE OF
SCIENCE & TECHNOLOGY
Sanketika Nagar, Kothuru, Sathupally
Khammam Dist. T.S. PIN - 507 311

Note:- Additional intake / new courses / PIO quota not granted on account of deficiencies in running of existing courses with existing sanctioned intake (wherever applicable).

The Council is committed to facilitating the institutions to come up to the expectations of the stakeholders through rectification of deficiencies. It has therefore been decided by the Council to give yet another opportunity to rectify at least the deficiency of faculty irrespective of the cadre ratio for consideration of restoration of UG course(s) in Engineering & Technology / Pharmacy / MBA and MCA. However, for restoration of intake at PG level in Engineering & Technology and Pharmacy, a minimum of one faculty with Ph.D. qualification and two with postgraduate qualifications in the respective discipline would be essential.

In case the institution is able to recruit the required faculty for individual course and intimate the Council regarding the same in the **enclosed Proforma (with a copy to the concerned Regional Office)** latest by 7th July, 2005, the Council would favorably consider proportionately restoring intake in course(s) where it has been reduced as soon as the appeal is received by the Council.

Please note that the Council may independently verify the factual status in respect of recruitment of faculty. The institution shall be liable for strict action including action under the relevant provisions of Indian Penal Code in case false information is furnished to the Council on recruitment of faculty.

It may also be noted that relaxation in respect of rectification of deficiencies in terms of faculty is applicable only for the purpose of **restoration of intake** for the academic year 2005-06. All other deficiencies including appointment of faculty have to be complied with by 31/08/2005 for extension of approval for the year 2006-07.

A compliance report indicating rectification of **all the deficiencies** including details of faculty recruited for each course must be received by the Council latest by 31st August, 2005 to entitle you institution for extension of approval for the year 2006-07. The compliance report must be accompanied with a visiting/processing fee as prescribed by the Council in the form of a demand draft in favour of Member Secretary, AICTE payable at New Delhi. In the absence of the processing / visiting fee, the compliance report may not be entertained.

Following the compliance report, the Council would verify the status in respect of rectification of deficiencies through physical inspection without any prior intimation. The institution should therefore be prepared for random inspection without any prior notice. Extension of approval for the year 2006-07 shall be dependent on the compliance report and the outcome of the surprise inspection.

Enclosure:- Annexure-A


Yours faithfully



(Dr. P. Venkateswara Rao
Adviser (UG/ PG)

Copy to :

1. The Principal,
MOTHER THERESA INSTITUTE OF SCIENCE & TECHNOLOGY,
KOTHUR, SATHUPALLY KHAMMAM DISTT., - 507 303
2. The Regional Officer, AICTE SRO, 26, Haddows Road, Shastri Bhawan, Chennai - 600 006.



PRINCIPAL
MOTHER THERESA INSTITUTE OF
SCIENCE & TECHNOLOGY
Sanketika Nagar, Kothur, Sathupally
Khammam Dist. Tel. 507 303.